#### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



Ag 84 Pro to 878

# CONSTRUCT CONSERVATION MEASURES

Safely

U. S. DETT. OF ACTUALITY OF ACTUALITY OF ACTUAL ACT

OCT 14 1900



## CONSERVATION BENEFITS



### **ELEMENTS OF DANGER**



### SAFETY PRECAUTIONS

#### **DURING PLANNING — DURING CONSTRUCTION**



SEARCH FOR AND HEED WARNING SIGNS CALL THE COMPANY



**AVOID LOCATING STRUCTURES** NEAR HAZARDS

SAFETY SUGGESTIONS

. KEEP SURVEY RODS, IRRIGATION PIPES OR OTHER LONG OBJECTS WELL AWAY FROM

· LOCATE ALL UNDERGROUND PIPE LINES. CABLES. AND OVERHEAD LINES BEFORE STARTING CONSTRUCTION, NOTIFY THE

. PROTECT WORKERS IN TRENCHES BY SHORING OR SLOPING, PILE SOIL A SAFE

DISTANCE FROM TRENCH EDGE. PLACE

PIPE IMMEDIATELY AFTER EXCAVATION.

POWER LINES.

COMPANY.



SHORE OR SLOPE **TRENCHES** 



BEWARE OF LIVESTOCK





. USE A QUALIFIED BLASTER. ALERT ALL PERSONS IN VICINITY OF BLASTING WORK.



. WEAR PROTECTIVE CLOTHING SUCH AS HARD HATS, SAFETY SHOES, COLORED VESTS.



WATCH OVERHEAD LINES



CHECK FOR HIDDEN HAZARDS







CONSTRUCTION WORKERS SHOULD BE ALERT AT ALL TIMES TO HAZARDS WHERE EQUIPMENT IS OPERATING

This publication has been prepared by the Soil Conservation Service, U.S. Department of Agriculture, to inform land owners and operators and contractors of the need for constructing conservation measures safely.